

Kit 1475

HYUNDAI H-1, 5-dr Van, 08—*




HYUNDAI iLoad, 5-dr Van, 08—**

HYUNDAI iMax, 5-dr Bus, 08—**





HYUNDAI Starex, 5-dr Van, 08—*






* with dual sliding doors

** with dual sliding doors (Asia)




THULE®
SWEDEN






3





754




750

1




2



X

HYUNDAI H-1, 5-dr Van, 08–	54,5
HYUNDAI iLoad, 5-dr Van, 08–	54,5
HYUNDAI iMax, 5-dr Bus, 08–	54,5
HYUNDAI Starex, 5-dr Van, 08–	54,5

1



2



Y

HYUNDAI H-1, 5-dr Van, 08–	53,5
HYUNDAI iLoad, 5-dr Van, 08–	53,5
HYUNDAI iMax, 5-dr Bus, 08–	53,5
HYUNDAI Starex, 5-dr Van, 08–	53,5




480R



480

1



2




X inch


X mm

HYUNDAI H-1, 5-dr Van, 08–	47 1/8"	1196 mm
HYUNDAI iLoad, 5-dr Van, 08–	47 1/8"	1196 mm
HYUNDAI iMax, 5-dr Bus, 08–	47 1/8"	1196 mm
HYUNDAI Starex, 5-dr Van, 08–	47 1/8"	1196 mm

1



2
















Y inch

Y mm


HYUNDAI H-1, 5-dr Van, 08–	46 3/4"	1186 mm
HYUNDAI iLoad, 5-dr Van, 08–	46 3/4"	1186 mm
HYUNDAI iMax, 5-dr Bus, 08–	46 3/4"	1186 mm
HYUNDAI Starex, 5-dr Van, 08–	46 3/4"	1186 mm

4




HYUNDAI H-1, 5-dr Van, 08-
 HYUNDAI iLoad, 5-dr Van, 08-
 HYUNDAI iMax, 5-dr Bus, 08-
 HYUNDAI Starex, 5-dr Van, 08-



5



	X mm	Y mm	X inch	Y inch
HYUNDAI H-1, 5-dr Van, 08–	850 mm	700 mm	33 1/2"	27 1/2"
HYUNDAI iLoad, 5-dr Van, 08–	850 mm	700 mm	33 1/2"	27 1/2"
HYUNDAI iMax, 5-dr Bus, 08–	850 mm	700 mm	33 1/2"	27 1/2"
HYUNDAI Starex, 5-dr Van, 08–	850 mm	700 mm	33 1/2"	27 1/2"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pielvelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754



480



750




i




1




2




i



1




2




i








1



2













THULE®
SWEDEN


**ONE
KEY
SYSTEM**

		544	(x4)
		596	(x6)
		588	(x8)
NA		510	(x10)
EUR		452	(x12)
ASIA			








- S Dra åt växelvis
- PT Aperte alternadamente
- E Serrare alternativamente
- I Alternare il serraggio delle viti
- NL de rechterkant aandraaien
- F Serrer alternativement chaque côté
- D Die Schrauben abwechselnd
- GB/US Tighten alternately










- 한국어 변경이 가며 조이십시오.
- 日本語 交互に締め付けてください。
- 中文 交替拧紧
- TR Dönüşümlü sıkın
- GR Δφίππετε εναλλάξ
- HU szorítandó
- HU Egyarástól fűggetlenül
- HR Naizmjenično zategniti
- SLO Privijajte izmenično.
- SK Dotiahujte striedavo
- CZ Pokrétá bagazníka dokrétaj
- RU Затягивайте попеременно
- PL Śrubij dokrétaj naprzemiennie
- LIT Užsukinkite pakaitomis
- LAT Pivēlciot pāmīsus
- EST Pinguldage vaheldumisi
- FIN Kierä vuorotellen







HYUNDAI H-1, 5-dr Van, 08-	850 mm	700 mm	33 1/2"	27 1/2"
HYUNDAI iLoad, 5-dr Van, 08-	850 mm	700 mm	33 1/2"	27 1/2"
HYUNDAI iMax, 5-dr Bus, 08-	850 mm	700 mm	33 1/2"	27 1/2"
HYUNDAI Starex, 5-dr Van, 08-	850 mm	700 mm	33 1/2"	27 1/2"







HYUNDAI H-1, 5-dr Van, 08-
 HYUNDAI iLoad, 5-dr Van, 08-
 HYUNDAI iMax, 5-dr Bus, 08-
 HYUNDAI Starex, 5-dr Van, 08-











2



1




instructions



Kit 1475

HYUNDAI H-1, 5-dr Van, 08-
 HYUNDAI iLoad, 5-dr Van, 08-
 HYUNDAI iMax, 5-dr Bus, 08-
 HYUNDAI Starex, 5-dr Van, 08-*

* with dual sliding doors
 ** with dual sliding doors (Asia)



480R
754



750



THULE
 SWEDEN

PROFESSIONAL

ISO 11154-E