







Thule Rapid System Kit 1543

> Instructions

RENAULT Scénic III, 5-dr MPV, 09-16

RENAULT Grand Scénic III, 5-dr MPV, 09-16



ISO 11154-E

141543


20170103
519-1543-02

Herbály Autó www.herbalyauto.hu


Bring your life
thule.com



179 x2



181 x2



1053 x4






x1



x1

1

	X (scale)	X (mm)	X (inch)
RENAULT Scénic III, 5-dr MPV, 09-16	41,5	1066	42
RENAULT Grand Scénic III, 5-dr MPV, 09-16	41,5	1066	42





	Y (scale)	Y (mm)	Y (inch)
RENAULT Scénic III, 5-dr MPV, 09-16	40,5	1056	41 ⁵/₈
RENAULT Grand Scénic III, 5-dr MPV, 09-16	40,5	1056	41 ⁵/₈


2

RENAULT Scénic III, 5-dr MPV, 09-16

RENAULT Grand Scénic III, 5-dr MPV, 09-16



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
RENAULT Scénic III, 5-dr MPV, 09-16	265	730	10 ³/₈	28 ³/₄
RENAULT Grand Scénic III, 5-dr MPV, 09-16	265	730	10 ³/₈	28 ³/₄

