

Thule Rapid System Kit 1649





> Instructions

SUBARU Impreza, 4-dr Sedan, 11-16 / *12-17

SUBARU Levorg, 4-dr Sedan, 14-

SUBARU WRX, 4-dr Sedan, 14-17

*North America



ISO 11154-E

141649

C.20170608
519-1649-04

Herbály Autó www.herbalyauto.hu

Bring your life

thule.com




204 x1

206 x1

381 x1

382 x1




1200 x2



1201 x2





x1



x1

1

	X (scale)	X (mm)	X (inch)
SUBARU Impreza , 4-dr Sedan, 11-16 / *12-17	41,5	1066	42
SUBARU Levorg , 4-dr Sedan, 14-	41,5	1066	42
SUBARU WRX , 4-dr Sedan, 14-17	41,5	1066	42





	Y (scale)	Y (mm)	Y (inch)
SUBARU Impreza , 4-dr Sedan, 11-16 / *12-17	37,5	1026	40 ³ / ₈
SUBARU Levorg , 4-dr Sedan, 14-	37,5	1026	40 ³ / ₈
SUBARU WRX , 4-dr Sedan, 14-17	37,5	1026	40 ³ / ₈

2


SUBARU Impreza, 4-dr Sedan, 11-16/ *12-17

SUBARU Levorg, 4-dr Sedan, 14-

SUBARU WRX, 4-dr Sedan, 14-17



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
SUBARU Impreza , 4-dr Sedan, 11-16 / *12-17	230	790	9	31 1/8
SUBARU Levorg , 4-dr Sedan, 14-	230	790	9	31 1/8
SUBARU WRX , 4-dr Sedan, 14-17	230	790	9	31 1/8

