





Thule Rapid System Kit 1654

> Instructions


HYUNDAI Avante, 4-dr Sedan, 11-15

HYUNDAI Elantra, 4-dr Sedan, 11-15 / *12-16

*North America



ISO 11154-E



206 x1

237 x1


238 x1



1194 x4





x1



x1

1

	X (scale)	X (mm)	X (inch)
HYUNDAI Avante , 4-dr Sedan, 11-15	43	1081	42 1/2
HYUNDAI Elantra , 4-dr Sedan, 11-15/ *12-16	43	1081	42 1/2





	Y (scale)	Y (mm)	Y (inch)
HYUNDAI Avante , 4-dr Sedan, 11-15	42	1071	42 1/8
HYUNDAI Elantra , 4-dr Sedan, 11-15/ *12-16	42	1071	42 1/8



2

HYUNDAI Avante, 4-dr Sedan, 11-15

HYUNDAI Elantra, 4-dr Sedan, 11-15 / *12-16



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
HYUNDAI Avante , 4-dr Sedan, 11-15	225	685	8 ⁷/₈	27
HYUNDAI Elantra , 4-dr Sedan, 11-15 / *12-16	225	685	8 ⁷/₈	27

